# **Facility Floor Plans**







At the Orange County

Convention Center, you'll find seven million square feet of combined meeting and public space in one of the most beautiful and entertaining places in the

world—Orlando, Florida. With its two state-of-the-art buildings (The West and The North/South), this award-winning facility offers an amazing 2.1 million square feet of total exhibition space and an awe-inspiring 1,500-foot open-air bridge with moving sidewalks connecting the two buildings. And despite its tremendous size, the Center is remarkably easy to get in and out of, with a total parking capacity of 8,227.

With its distinctive architecture, tropical ambiance, variety of venues and tremendous flexibility, the Center offers a real Florida feel for all types and sizes of events. Plus, show management and exhibitor services, from catering to telecommunications, ensure that


every conference, trade show or meeting is polished and professional.

Naturally, this totally modern facility offers the most advanced technology, including wireless mobility throughout both buildings. And, when you're ready to take a break from business, you'll find theme parks, shopping, dining, nightlife, golfing and much more, just minutes away.

Adding to the convenience for attendees, exhibitors and planners are the more than 11,000 hotel rooms within walking distance. The Center's West Concourse offers direct access to the 1,641-room Peabody Orlando Hotel and the 1,334-room Rosen Centre Hotel via pedestrian bridges. The 1,400 room Hilton Orlando is also connected directly to the Center's South Concourse via pedestrian bridge.

With all these features, it's no surprise that the Orange County Convention Center is one of the top convention facilities in the country.





# **CONVENTION CENTER DISTRICT**

### **ENTERTAINMENT, RESTAURANTS, RETAIL**

- 14 Downtown Orlando 12 miles
- 15 The Mall at Millenia 5 miles
- 16 Pointe Orlando
- 17 SeaWorld Orlando
- 18 Universal Orlando Resort 4 miles
- 19 Walt Disney World 10 miles

- 23 Intermodal
- Bridge to
  Hyatt Regency Orlando

REV 09/27/13



# **Table of Contents**

**Convention District Map** . . . . . . . 1, 1a



### **WEST BUILDING**

Overview2-3
Level I
Level II
Level III8 – 9, 9a, 9b
Level IV




### **NORTH/SOUTH BUILDING**

Overview
Level I
Level II
Level III

Visit our web site: **www.occc.net** 

# WEST BUILDING






Since the first phase of the Orange County Convention Center's West Building opened in 1983, the Center has welcomed more than 15 million visitors. Over the last two decades, this building has gone through several expansions in order to accommodate the growing demands for conventions and tradeshows, yet it has always retained both the flavor and functionality of the original architecture and design. Today, this tech-marvel, designed to handle both mega shows and smaller events, offers every convenience you would expect from a world-class facility, including 1.1 million square feet of contiguous exhibition space, 49 meeting rooms, 141 breakouts, the 2,643-seat Chapin Theater, a 160-seat lecture hall and wireless mobility throughout the facility. A focal point of the West Building is the beautifully appointed Valencia Room, a 62,182 square foot multi-purpose dining and general session venue that can hold up to 6,000 people at one time. The facility's half mile of loading dock space, the largest in the country, is strategically located on one level.

### **FEATURES INCLUDE**

- 1,103,538 square feet of exhibition space
- 49 meeting rooms/141 breakouts
- 62,182 square foot multi-purpose Valencia Room
- 2,643-seat Chapin Theater
- 160-seat lecture hall
- 1 full-service restaurant (Osprey Café)
- 4 food courts
- Business center
- In-house rigging and technical services
- Internet and telecommunications services, plus wireless mobility throughout the facility
- In-house electric, plumbing and utilities services
- 97 covered truck bays on one level
- 14 exhibit-floor truck entrances
- 1,450 on-site parking spaces
- Covered boarding for 32 buses
- Beautiful atriums, skylights and intimate courtyards



Registration, Meeting Rooms (W101-W110) Food Courts

Registration, Exhibition Halls (WA, WB, WC, WD, WE and WF)
Meeting Rooms (W202-W240), Food Courts

Lecture Hall (W300), Meeting Rooms (W303-W340) Chapin Theater (W320), Osprey Café

Meeting Room (W414), Valencia Room (W415) Chapin Theater Balcony Level (W420)

# **LEVEL I**

### **Meeting Rooms**

Total Meeting Room Space 46,776 square feet

• 10 meeting rooms/18 breakouts

### Registration

• 14 registration offices

### 2 Food Courts

**Covered Bus Loading for 20 Buses** 




The Level I concourse provides over 400 linear feet of registration space and easy access from registration areas to the exhibition halls.



# W103 W103A W103B W104 W104A W104B W105 W105A W105B W106 W107 W108 W108 W108A W108B W109 W109A W109B W110A W110A W110A W110B

### WEST CONCOURSE

W101         56'4" x 55'4"         3,117         12'/13'         200         308         216         311           W101A         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           W101B         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           W102         56'4" x 55'4"         3,117         12'/13'         80         154         99         154           W102A         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           W102B         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           W103         56'4" x 55'4"         3,117         12'/13'         80         154         99         154           W103B         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           W104B         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           W104B         28'2" x 55'4"         1,559         12'/13'         80         154         99         154		ooms W101 – W1						
N101A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W101B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W102       56'4" x 55'4"       1,559       12'/13'       200       308       216       311         W102A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W103       56'4" x 55'4"       1,559       12'/13'       80       154       99       154         W103       56'4" x 55'4"       1,559       12'/13'       80       154       99       154         W103B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104B       56'4" x 55'4"       1,559       12'/13'       80       154       99       154         W104A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105B       28'2" x 55'4"       1,559       12'/13'       80       154       99       <	ROOM	DIMENSIONS	SQUARE FOOTAGE		BANQUET			
W101B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W102       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         W102A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W103       56'4" x 55'4"       1,559       12'/13'       80       154       99       154         W103A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W103B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105 a       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105 a       28'2" x 55'4"       1,559       12'/13'       80       154       99								
W102         56'4" x 55'4"         3,117         12'/13'         200         308         216         311           W102A         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           W103         56'4" x 55'4"         1,559         12'/13'         80         154         99         154           W103         56'4" x 55'4"         3,117         12'/13'         80         154         99         154           W103B         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           W104         56'4" x 55'4"         1,559         12'/13'         80         154         99         154           W104         56'4" x 55'4"         1,559         12'/13'         80         154         99         154           W104         56'4" x 55'4"         1,559         12'/13'         80         154         99         154           W104         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           W105         56'4" x 55'4"         1,559         12'/13'         80         154         99         154 <td< td=""><td>W101A</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	W101A							
N102A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         N102B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W103       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         N103A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W103B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104       56'4" x 55'4"       3,117       12'/13'       80       154       99       154         W104A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105       56'4" x 55'4"       3,117       12'/13'       80       154       99       154         W105A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105B       28'2" x 55'4"       1,559       12'/13'       80       154       99       <	W101B							
W102B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W103       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         W103A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W103B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104       56'4" x 55'4"       3,117       12'/13'       80       154       99       154         W104A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105       56'4" x 55'4"       3,117       12'/13'       80       154       99       154         W105B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W106       28' x 55'4"       1,559       12'/13'       80       154       99       154         W107       28' x 55'4"       1,549       12'/13'       80       154       99       154		56'4" x 55'4"	3,117			308	216	311
W103       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         N103A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         N103B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         N104A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105       56'4" x 55'4"       1,559       12'/13'       80       154       99       154         W105A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W106       28'x x 55'4"       1,549       12'/13'       80       154       99       154         W107       28'x x 55'4"       1,549       12'/13'       80       154       99 <td< td=""><td>W102A</td><td></td><td></td><td>12'/13'</td><td></td><td>154</td><td></td><td>154</td></td<>	W102A			12'/13'		154		154
N103A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         N103B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         N104A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         N104B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105       56'4" x 55'4"       1,559       12'/13'       80       154       99       154         N105A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         N105B       28'2 x 55'4"       1,559       12'/13'       80       154       99       154         W106       28' x 55'4"       1,549       12'/13'       80       154       99       154         W107       28' x 55'4"       1,549       12'/13'       80       154       99       154         W108       56'4" x 55'4"       1,549       12'/13'       80       154       99       154<	W102B	28'2" x 55'4"	1,559	12'/13'	80	154	99	154
W103B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         W104A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         W105A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W106       28' x 55'4"       1,549       12'/13'       80       154       99       154         W107       28' x 55'4"       1,549       12'/13'       80       154       99       154         W107       28' x 55'4"       1,549       12'/13'       80       154       99       154         W108       56'4" x 55'4"       1,559       12'/13'       80       154       99       154<	W103	56'4" x 55'4"	3,117	12'/13'	200	308	216	311
W104         56'4" x 55'4"         3,117         12'/13'         200         308         216         311           N104A         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           N104B         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           W105         56'4" x 55'4"         3,117         12'/13'         200         308         216         311           N105A         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           N105B         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           W106         28' x 55'4"         1,549         12'/13'         80         154         99         154           W107         28' x 55'4"         1,549         12'/13'         80         154         99         154           W108         56'4" x 55'4"         3,117         12'/13'         80         154         99         154           W108         56'4" x 55'4"         1,559         12'/13'         80         154         99         154 <td< td=""><td>W103A</td><td>28'2" x 55'4"</td><td>1,559</td><td>12'/13'</td><td>80</td><td>154</td><td>99</td><td>154</td></td<>	W103A	28'2" x 55'4"	1,559	12'/13'	80	154	99	154
W104A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W104B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         W105A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W106       28' x 55'4"       1,549       12'/13'       80       154       99       154         W107       28' x 55'4"       1,549       12'/13'       80       154       99       154         W108       56'4" x 55'4"       1,549       12'/13'       80       154       99       154         W108       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         N108A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W109       111'6" x 112'       12,488       12'/13'       780       1,248       896       <	W103B	28'2" x 55'4"					99	
W104B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         W105A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W105B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W106       28' x 55'4"       1,549       12'/13'       80       154       99       154         W107       28' x 55'4"       1,549       12'/13'       80       154       99       154         W108       56'4" x 55'4"       1,549       12'/13'       200       308       216       311         W108A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W108B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W109B       21'15'       1,248       12'/13'       80       154       99       154         W109A       58'4" x 112'       6,533       12'/13'       360       650       400       650 <td>W104</td> <td>56'4" x 55'4"</td> <td>3,117</td> <td>12'/13'</td> <td>200</td> <td>308</td> <td>216</td> <td>311</td>	W104	56'4" x 55'4"	3,117	12'/13'	200	308	216	311
W105       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         N105A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         N105B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W106       28' x 55'4"       1,549       12'/13'       80       154       99       154         W107       28' x 55'4"       1,549       12'/13'       80       154       99       154         W108       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         N108A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         N108B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W109       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         N109A       58'4" x 112'       6,533       12'/13'       360       650       400       605         W110       111'6" x 112'       12,488       12'/13'       360       596       400	W104A	28'2" x 55'4"	1,559	12'/13'	80	154	99	154
W105A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W106       28' x 55'4"       1,559       12'/13'       80       154       99       154         W107       28' x 55'4"       1,549       12'/13'       80       154       99       154         W108       56'4" x 55'4"       1,549       12'/13'       80       154       99       154         W108       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         W108A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W108B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W109B       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         W110       111'6" x 112'       5,955       12'/13'       360       596       400       605         W110A       53'2" x 112'       5,955       12'/13'       360       596       400       605         W110B       58'4" x 112'       6,533       12'/13'       360       596       400	W104B	28'2" x 55'4"	1,559	12'/13'	80	154	99	154
W105B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W106       28' x 55'4"       1,549       12'/13'       80       154       99       154         W107       28' x 55'4"       1,549       12'/13'       80       154       99       154         W108       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         N'108A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         N'108B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W109       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         N'109B       53'2" x 112'       5,955       12'/13'       360       596       400       605         W110       111'6" x 112'       12,488       12'/13'       360       596       400       605         N'110B       58'4" x 112'       5,955       12'/13'       360       596       400       605         N'110B       58'4" x 112'       6,533       12'/13'       360       596       400<	W105	56'4" x 55'4"	3,117	12'/13'	200	308	216	311
W106       28' x 55'4"       1,549       12'/13'       80       154       99       154         W107       28' x 55'4"       1,549       12'/13'       80       154       99       154         W108       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         N108A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         N108B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W109       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         N109A       58'4" x 112'       6,533       12'/13'       360       650       400       650         W110       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         N110B       58'4" x 112'       5,955       12'/13'       360       596       400       605         W110       111'6" x 112'       6,533       12'/13'       360       596       400       605         W110B       58'4" x 112'       6,533       12'/13'       360       650       400<	W105A	28'2" x 55'4"	1,559	12'/13'	80	154	99	154
W107       28' x 55'4"       1,549       12'/13'       80       154       99       154         W108       56'4" x 55'4"       3,117       12'/13'       200       308       216       311         N108A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         N108B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W109       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         N109A       58'4" x 112'       6,533       12'/13'       360       650       400       650         W110       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         N110A       53'2" x 112'       5,955       12'/13'       360       596       400       605         N110B       58'4" x 112'       6,533       12'/13'       360       596       400       650         N110B       58'4" x 112'       6,533       12'/13'       360       596       400       650	W105B	28'2" x 55'4"	1,559	12'/13'	80	154	99	154
W108         56'4" x 55'4"         3,117         12'/13'         200         308         216         311           N/108A         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           N/108B         28'2" x 55'4"         1,559         12'/13'         80         154         99         154           W109         111'6" x 112'         12,488         12'/13'         780         1,248         896         1,248           N/109A         58'4" x 112'         6,533         12'/13'         360         650         400         650           N/109B         53'2" x 112'         5,955         12'/13'         360         596         400         605           W110         111'6" x 112'         12,488         12'/13'         780         1,248         896         1,248           N/110B         58'4" x 112'         5,955         12'/13'         360         596         400         605           N/110B         58'4" x 112'         6,533         12'/13'         360         596         400         650	W106	28' x 55'4"	1,549	12'/13'	80	154	99	154
W108A       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W108B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W109       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         W109A       58'4" x 112'       6,533       12'/13'       360       650       400       650         W109B       53'2" x 112'       5,955       12'/13'       360       596       400       605         W110       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         W110A       53'2" x 112'       5,955       12'/13'       360       596       400       605         W110B       58'4" x 112'       6,533       12'/13'       360       650       400       650         W110B       58'4" x 112'       6,533       12'/13'       360       650       400       650	W107	28' x 55'4"	1,549	12'/13'	80	154	99	154
W108B       28'2" x 55'4"       1,559       12'/13'       80       154       99       154         W109       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         W109A       58'4" x 112'       6,533       12'/13'       360       650       400       650         W109B       53'2" x 112'       5,955       12'/13'       360       596       400       605         W110       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         W110A       53'2" x 112'       5,955       12'/13'       360       596       400       605         W110B       58'4" x 112'       6,533       12'/13'       360       650       400       650         W110B       58'4" x 112'       6,533       12'/13'       360       650       400       650	W108	56'4" x 55'4"	3,117	12'/13'	200	308	216	311
W109       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         N109A       58'4" x 112'       6,533       12'/13'       360       650       400       650         N109B       53'2" x 112'       5,955       12'/13'       360       596       400       605         W110       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         N110A       53'2" x 112'       5,955       12'/13'       360       596       400       605         N110B       58'4" x 112'       6,533       12'/13'       360       650       400       650         N110B       58'4" x 112'       6,533       12'/13'       360       650       400       650	W108A	28'2" x 55'4"	1,559	12'/13'	80	154	99	154
W109A         58'4" x 112'         6,533         12'/13'         360         650         400         650           W109B         53'2" x 112'         5,955         12'/13'         360         596         400         605           W110         111'6" x 112'         12,488         12'/13'         780         1,248         896         1,248           W110A         53'2" x 112'         5,955         12'/13'         360         596         400         605           W110B         58'4" x 112'         6,533         12'/13'         360         650         400         650	W108B	28'2" x 55'4"	1,559	12'/13'	80	154	99	154
W109B       53'2" x 112'       5,955       12'/13'       360       596       400       605         W110       111'6" x 112'       12,488       12'/13'       780       1,248       896       1,248         W110A       53'2" x 112'       5,955       12'/13'       360       596       400       605         W110B       58'4" x 112'       6,533       12'/13'       360       650       400       650	W109	111'6" x 112'	12,488	12'/13'	780	1,248	896	1,248
W110         111'6" x 112'         12,488         12'/13'         780         1,248         896         1,248           N110A         53'2" x 112'         5,955         12'/13'         360         596         400         605           N110B         58'4" x 112'         6,533         12'/13'         360         650         400         650           1010 y 10'         1010 y	W109A	58'4" x 112'	6,533	12'/13'	360	650	400	650
W110A       53'2" x 112'       5,955       12'/13'       360       596       400       605         W110B       58'4" x 112'       6,533       12'/13'       360       650       400       650	W109B	53'2" x 112'	5,955	12'/13'	360	596	400	605
W110B         58'4" x 112'         6,533         12'/13'         360         650         400         650	W110	111'6" x 112'	12,488	12'/13'	780	1,248	896	1,248
	W110A	53'2" x 112'	5,955	12'/13'	360	596	400	605
	W110B	58'4" x 112'	6,533	12'/13'	360	650	400	650
			MS M				MARKANIA MA	
			00000000000000000000000000000000000000	7,747,747,747,747,747,747,747,747,747,7	2422624 V24V02221V2 V34V2285002	######################################	00000000000000000000000000000000000000	72050502021 ¥ 20050506001 2005050606 20055666
			A SAME WAS TO SEE THE SECOND OF THE SECOND O					AND CONTRACTOR
	THE STATE OF THE S	SENSELE	201212424 2012224 2012224 2012224 201	ALEGATA CACAMACANA CACAMA STANDA CACAMACANA CACAMA STANDA CACAMACANA CACAMA	NECESTICAL STREET			
		CVVC-ATSUNZ ENDN ASSERUNU TENNER STENES TOT SON SERVEN TENNER STENES TOT STENES TOT S TENNER STENES TOT STENES TOT S	244772247247244 75215142516242 74.42346467247	5ECAMAS ENAMES (4EEAA) ACCOMAN ENAMES (2EEAA) ENAMES (4EEAA) ENAMES (4EEAA) ENAMES (4EEAA)	ALCONNACTOR SALCON	20 20 20 20 20 20 20 20 20 20 20 20 20 2	ANDERNATION IN THE PROPERTY OF THE PARTY OF	10202242024 10202242020 10202423020 1020346202
			M5A5VAUSKOVNISE REESVANSKUKSNOSE VI VNESSIKAKSINA KSECANONIKASINA			NAVENCE AND	CHECKSON (CX. DECUSEDA DECUSED	Ruguakenege Konstandar
				en de la	ZZKI WKANKUWE ZKI WKANKUWE ZKI WKANKUWE			/ E
	07U RENYUNUKAN 27U DETAUDUK 05URUNUKAN 05URUNUKAN		SANGARAKARAKA CARRESURUKAKA CARRESURUKARAKA RAKESURUKARAKA		763867736771 8246677876767	######################################	GOSKOSANSKOS ROUKOSKSKS ZZSKENOKOKS	
	700407070000 71040404040 71040404040	7. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	VOUDERCE TREES	OMERSKA SKALING SKALIN			\$20 78 38 38 T.U E42 75 72 49 35 37 10 11 41 41 41 51 11	
			VARAGETÄREDRIÄZ SUUTAN SUUTAN					



**EXIT** 

# **LEVEL II**

### **Exhibition Halls**

2 Food Courts


Halls WA, WB, WC, WD, WE and WF

### **Total Exhibition Hall Space** 1,103,538 square feet


- 30-40 foot exhibit hall ceilings
- In-floor utilities on 30-foot centers
- 97 covered truck bays on one level
- 14 exhibit-floor truck entrances





Six exhibition halls on Level II; two are column-free, providing unobstructed sight lines for general sessions or entertainment functions.



### **WEST CONCOURSE Exhibition Halls West A - WE2**







### **WEST CONCOURSE**

### **Exhibition Hall West F**

			CEILING HEIGHT		THEATER	EXHIBITS
West F	180' x 270'	48,600	30'	3,120	4,882	241
WF1	69' x 90'	6,210	30'	360	612	31
WF2	69' x 90'	6,210	30'	360	612	29
WF3	107' x 90'	9,630	30'	600	954	48
WF4	107' x 90'	9,630	30'	600	954	44
WF5	68' x 180'	12,240	30'	780	1,224	62

### **WEST CONCOURSE**

**Meeting Rooms W223 - W240D** 

ROOM		SQUARE FOOTAGE	CEILING HEIGHT		THEATER	CLASSROOM	RECEPTION
W223	42' x 37'8"	1,582	16'	80	120	90	120
W223A	21' x 37'8"	791	16'	30	79	43	100
W223B	21' x 37'8"	791	16'	20*	20*	20*	20*
W224	100' x 160'8"	16,067	22'	1,040	1,606	1,160	1,606
W224A	37'8" x 45'4"	1,708	22'	90	170	112	170
W224B	41' x 45'4"	1,859	22'	90	185	126	185
W224C	41' x 45'4"	1,859	22'	90	185	126	185
W224D	41' x 45'4"	1,859	22'	90	185	125	185
Corridor	11'6" x 160'	1,840					
W224E	37'8" x 43'	1,620	22'	90	162	96	162
W224F	41' x 43'	1,763	22'	90	176	108	176
W224G	41' x 43'	1,763	22'	90	176	108	176
W224H	41' x 43'	1,763	22'	90	176	107	176
W225	40' x 36'	1,440	11'	80	144	85	144
W225A	20' x 36'	720	11'	30	72	40	72
W225B	20' x 36'	720	11'	30	72	40	72
W230	134'4" x 62'	8,329	16'	550	832	600	832
W230A	45'4" x 62'	2,811	16'	160	352	200	352
W230B	30' x 62'	1,860	16'	80	224	120	224
W230C	30' x 62'	1,860	16'	50	224	120	224
W230D	30' x 62'	1,798	16'	80	224	120	224
W231	87'4" x 40'	3,493	16'	210	349	225	349
W231A	28'8" x 40'	1,147	16'	50	112	72	134
W231B	30' x 40'	1,200	16'	50	112	72	134
W231C	28'8" x 40'	1,147	16'	50	112	72	134
W232	87'4" x 40'	3,493	16'	210	349	225	349
W232A	28'8" x 40'	1,147	16'	50	112	72	134
W232B	30' x 40'	1,200	16'	50	112	72	134
W232C	28'8" x 40'	1,147	16'	50	112	72	134
W240	116'8" x 48'5"	5,649	16'	400	612	440	637
W240A	28'4" x 48'5"	1,372	16'	80	154	96	164
W240B	30' x 48'5"	1,452	16'	80	154	96	164
W240C	30' x 48'5"	1,452	16'	80	137	96	137
W240D	28'4" x 48'5"	1,372	16'	80	154	96	164

<sup>\*</sup> Seating based on limited exiting.

### **WEST CONCOURSE**

Meeting Rooms W201 - W222B

ROOM		SQUARE FOOTAGE	CEILING HEIGHT		THEATER	CLASSROOM	RECEPTION
W202	87' x 55'2"	4,800	14'6"/15'6"	280	480	330	480
W202A	27'4" x 55'2"	1,508	14'6"/15'6"	80	165	99	165
W202B	30' x 55'2"	1,655	14'6"/15'6"	80	165	108	165
W202C	29'8" x 55'2"	1,637	14'6"/15'6"	80	165	108	165
W203	89'4" x 55'2"	4,928	14'6"/15'6"	280	492	336	492
W203A	29'8" x 55'2"	1,637	14'6"/15'6"	80	165	108	165
W203B	30' x 55'2"	1,655	14'6"/15'6"	80	165	108	165
W203C	29'8" x 55'2"	1,637	14'6"/15'6"	80	165	108	165
W204	89'4" x 55'2"	4,928	14'6"/15'6"	280	492	336	492
W204A	29'8" x 55'2"	1,637	14'6"/15'6"	80	165	108	165
W204B	30' x 55'2"	1,655	14'6"/15'6"	80	165	108	165
W204C	29'8" x 55'2"	1,637	14'6"/15'6"	80	165	108	165
W205	104'2" x 50'6"	5,260	14'6"/15'6"	360	526	342	526
W205A	43'4" x 50'6"	2,188	14'6"/15'6"	120	220	152	220
W205B	30'6" x 50'6"	1,540	14'6"/15'6"	80	153	96	153
W205C	30'4" x 50'6"	1,532	14'6"/15'6"	80	156	96	156
W206	105' x 51'	5,355	16'/17'	360	535	342	535
W206A	44'4" x 51'	2,261	16'/17'	120	226	152	226
W206B	30' x 51'	1,530	16'/17'	80	153	96	153
W206C	30'8" x 51'	1,564	16'/17'	80	156	96	156
W207	89'4" x 55'8"	4,973	14'6"/15'6"	280	497	336	497
W207A	29'8" x 55'8"	1,651	14'6"/15'6"	80	165	108	165
W207B	30' x 55'8"	1,670	14'6"/15'6"	80	167	108	167
W207C	29'8" x 55'8"	1,651	14'6"/15'6"	80	165	108	165
W208	89'4" x 55'8"	4,973	14'6"/15'6"	280	497	336	497
W208A	29'8" x 55'8"	1,651	14'6"/15'6"	80	165	108	165
W208B	30' x 55'8"	1,670	14'6"/15'6"	80	167	108	167
W208C	29'8" x 55'8"	1,651	14'6"/15'6"	80	165	108	165
W209	103'8" x 55'8"	5,771	14'6"/15'6"	360	576	399	577
W209A	29'8" x 55'8"	1,651	14'6"	80	165	108	165
W209B	30' x 55'8"	1,670	14'6"	80	167	108	167
W209C	44' x 55'8"	2,449	14'6"	120	244	171	244
W221	141'1" x 44'4"	6,255	15'6"/16'6"	360	624	442	625
W221A	27'6" x 44'4"	1,219	15'6"/16'6"	60	121	77	121
W221B	30' x 44'4"	1,330	15'6"/16'6"	60	133	84	133
W221C	30'3" x 44'4"	1,341	15'6"/16'6"	60	134	84	134
W221D	27'2" x 44'4"	1,204	15'6"/16'6"	60	120	77	120
W221E	26'2" x 44'4"	1,160	15'6"/16'6"	60	116	70	116
W222	88' x 52'	4,576	16'	280	514	300	557
W222A	44' x 52'	2,288	16'	120	228	152	286
W222B	44' x 52'	2,288	16'	120	228	152	286

# **LEVEL III**

### **Chapin Theater** (W320)

- 2,643 seats (1,696 seats on Level III)
- 4 dressing rooms, plus one green room
- 97,000 watt audio system and extensive in-house lighting
- Full proscenium stage with fly system

### **Meeting Rooms**


**Total Meeting Room Space** 



The 2,643-seat Chapin Theater functions as a venue for entertainment, general sessions and product launches.



The West Building's 160-seat lecture hall offers translation booth capabilities, a permanent curtained stage and green room.



Page 8 Page 9

### **WEST CONCOURSE**

Meeting Rooms W311 - W340D

ROOM		SQUARE FOOTAGE	CEILING HEIGHT		THEATER	CLASSROOM	RECEPTION
W311	115'8" x 139'4"	16,116	21'6"/22'6"	1,080	1,611	1,196	1,611
W311A	27'2" x 60'	1,630	21'6"/22'6"	80	163	110	163
W311B	30' x 60'	1,800	21'6"/22'6"	80	180	120	180
W311C	30' x 60'	1,800	21'6"/22'6"	80	180	120	180
W311D	28'6" x 60'	1,710	21'6"/22'6"	80	171	120	171
Corridor	115'8" x 19'4"	2,236					
W311E	27'2" x 60'	1,630	21'6"/22'6"	80	163	110	163
W311F	30' x 60'	1,800	21'6"/22'6"	80	180	120	180
W311G	30' x 60'	1,800	21'6"/22'6"	80	180	120	180
W311H	28'6" x 60'	1,710	21'6"/22'6"	80	171	120	171
W312	102'5" x 53'8"	5,496	18'2"/19'2"	320	548	360	549
W312A	27'2" x 53'8"	1,458	18'2"/19'2"	80	145	99	145
W312B	30' x 53'8"	1,610	18'2"/19'2"	80	161	108	161
W312C	45'3" x 53'8"	2,428	18'2"/19'2"	160	242	160	242
W313	44'2" x 45'4"	2,002	12'/13'	90	160	133	200
W314	76'6" x 72'8"	5,559	13'6"/14'6"	360	551	390	555
W314A	40' x 72'8"	2,907	13'6"/14'6"	180	289	221	289
W314B	36'6" x 72'8"	2,652	13'6"/14'6"	177	262	208	262
W315	78'8" x 72'8"	5,716	13'6"/14'6"	360	570	390	571
W315A	39'4" x 72'8"	2,858	13'6"/14'6"	180	285	221	285
W315B	39'4" x 72'8"	2,858	13'6"/14'6"	180	285	208	285
W330	148' x 91'	13,468	18'	910	1,346	840	1,346
W330A	30' x 39'	1,170	18'	50	126	78	140
W330B	30' x 39'	1,170	18'	50	126	78	140
W330C	31' x 39'	1,209	18'	50	126	72	140
Corridor	10' x 91'	910					
W330D	50' x 91'	4,550	18'	280	624	352	552
Corridor	10' x 91'	910					
W330E	30' x 39'	1,170	18'	50	126	72	140
W330F	30' x 39'	1,170	18'	50	126	78	140
W330G	31' x 39'	1,209	18'	50	126	72	140
W331	24'4" x 56'4"	1,371	18'	80	137	72	137
W332	24'4" x 57'4"	1,395	18'	80	139	80	139
W340	116'8" x 48'5"	5,649	18'	400	564	440	564
W340A	28'4" x 48'5"	1,372	18'	80	154	96	164
W340B	30" x 48'5"	1,452	18'	80	154	96	164
W340C	30" x 48'5"	1,452	18'	80	154	96	164
W340D	28'4" x 48'5"	1,372	18'	80	154	96	164

### **WEST CONCOURSE**

Meeting Rooms W303 - W310B

ROOM		SQUARE FOOTAGE	CEILING HEIGHT		THEATER	CLASSROOM	RECEPTION
W303	101'10" x 36'8"	3,734	18'8"/19'2"	240	373	252	373
W303A	28'6" x 36'8"	1,045	18'8"/19'2"	50	105	60	106
W303B	30' x 36'8"	1,100	18'8"/19'2"	50	110	60	120
W303C	43'4" x 36'8"	1,589	18'8"/19'2"	90	159	84	172
W304	115'10" x 140'	16,217	21'6"/22'6"	1,080	1,621	1,196	1,621
W304A	27'4" x 60'	1,640	21'6"/22'6"	80	162	110	162
W304B	30' x 60'	1,800	21'6"/22'6"	80	180	120	180
W304C	30' x 60'	1,800	21'6"/22'6"	80	180	120	180
W304D	28'6" x 60'	1,710	21'6"/22'6"	80	168	120	168
Corridor	10' x 91'	910					
W304E	27'4" x 60'	1,640	21'6"/22'6"	80	162	110	162
W304F	30' x 60'	1,800	21'6"/22'6"	80	180	120	180
W304G	30' x 60'	1,800	21'6"/22'6"	80	180	120	180
W304H	28'6" x 60'	1,710	21'6"/22'6"	80	168	120	168
W305	57' x 38'	2,166	18'2"/19'2"	120	196	126	216
W305A	28'6" x 38'	1,083	18'2"/19'2"	50	100	60	100
W305B	28'6" x 38'	1,083	18'2"/19'2"	50	108	60	108
W306	57' x 38'	2,166	18'2"/19'2"	120	196	126	216
W306A	28'6" x 38'	1,083	18'2"/19'2"	50	108	60	108
W306B	28'6" x 38'	1,083	18'2"/19'2"	50	100	60	100
W307	120'4" x 50'6"	6,077	18'2"/18'11"	400	600	460	607
W307A	29'4" x 50'6"	1,481	18'2"/18'11"	80	148	104	150
W307B	30' x 50'6"	1,515	18'2"/18'11"	80	150	104	150
W307C	30' x 50'6"	1,515	18'2"/18'11"	80	150	104	150
W307D	31' x 50'6"	1,566	18'2"/18'11"	80	150	104	150
W308	120'8" x 51'	6,154	18'2"/19'2"	400	615	440	615
W308A	30' x 51'	1,530	18'2"/19'2"	80	153	96	153
W308B	30' x 51'	1,530	18'2"/19'2"	80	153	104	153
W308C	30' x 51'	1,530	18'2"/19'2"	80	153	96	153
W308D	30'8" x 51'	1,564	18'2"/19'2"	80	156	104	156
W309	55'10" x 38'6"	2,150	18'2"/19'2"	120	214	126	215
W309A	27'2" x 38'6"	1,046	18'2"/19'2"	50	104	55	104
W309B	28'8" x 38'6"	1,104	18'2"/19'2"	50	110	60	110
W310	58'2" x 38'6"	2,239	18'2"/19'2"	120	196	140	223
W310A	29'8" x 38'6"	1,142	18'2"/19'2"	50	114	60	114
W310B	28'6" x 38'6"	1,097	18'2"/19'2"	50	109	60	109

# **LEVEL IV**

### Valencia Room (W415)

 62,182 square foot carpeted multi-purpose room, which subdivides into three sections of 20,000 square feet each

### **Meeting Rooms**

Total Meeting Room Space 73,457 square feet

 2 meeting rooms/7 breakouts (includes Valencia)

### **Chapin Theater** (W420)

- Balcony level
- Seating for 947



The Valencia Room, a spacious 62,000 square feet, subdivides into thirds—perfect for dining, general session or breakout space.



# WEST CONCOURSE Meeting Rooms W414

		SQUARE FOOTAGE	CEILING HEIGHT		THEATER	CLASSROOM	RECEPTION
W414	155'2" x 72'8"	11,275	18'2"/19'2"	780	1,125	900	1,125
W414A	40' x 72'8"	2,907	18'2"/19'2"	180	290	216	290
W414B	36'6" x 72'8"	2,652	18'2"/19'2"	180	265	180	265
W414C	39'4" x 72'8"	2,858	18'2"/19'2"	180	285	216	285
W414D	39'4" x 72'8"	2,858	18'2"/19'2"	180	285	204	285


### WEST CONCOURSE

### Valencia Room W415

		SQUARE FOOTAGE		THEATER	CLASSROOM	RECEPTION
W415	302' x 214'	62,182	3,600	6,000	4,156	6,000
W415A	106' x 214'	21,597	1,300	1,953	1,340	1,953
W415B*	45' x 214'	9,494	595	918	560	918
W415C*	45' x 214'	9,494	595	918	560	918
W415D	106' x 214'	21,597	1,300	1,953	1,340	1,953

<sup>\*</sup> Rooms W415B and W415C are only leased in combination due to linear dimensions.


Meeting rooms set theater, classroom and banquet style include one riser only and do not include A/V equipment. All floor plans and room capacities may change without notice and are subject to Orange County Fire Marshal approval prior to use.



Page 10 Page 11

# NORTH/SOUTH BUILDING





The Center's North/South Building provides 950,282 square feet of exhibition space, including two acoustically engineered general assembly areas, 25 meeting rooms and 94 breakouts. With its 80-foot high glass walls and distinctive arched entrances, this building has been heralded as a Central Florida landmark. The flexibility and efficiencies of this building start with wide column spacing, a full utility grid on 30-foot centers, an extensive catwalk network and computer-controlled lighting systems. Other amenities include four food courts, two innovative, full-service restaurants overlooking the exhibit floor and a dramatic open-air pedestrian bridge for easy access to the West Building. To make event load-in a breeze, the facility even offers two underground loading docks, 76 truck bays, nine drive-in truck entrances, two roll-up doors and an airplane door.

### **FEATURES INCLUDE**

- 950,282 square feet of exhibition space
- Two 92,000 square foot general assembly areas
- 25 meeting rooms/94 breakouts
- 2 full service restaurants
- 4 food courts
- 2 business centers
- In-house rigging and technical services
- Internet and telecommunications services, plus wireless mobility throughout the facility
- In-house electric, plumbing and utilities services
- Full utility grid on 30-foot centers
- 2 covered loading docks/ 76 truck bays
- 9 exhibit-floor truck entrances
- Covered boarding for 27 buses
- 4,777 on-site parking spaces
- Connected to the West Building via a pedestrian bridge with moving sidewalks



Exhibition Halls (NA, NB, SA, SB) Food Courts

Registration, Meeting Rooms (N210-N230)
Registration, Meeting Rooms (S210-S230)
Restaurants

Meeting Rooms (N310-N330) Meeting Rooms (S310-S331)

### **LEVEL I**

### **Exhibition Halls**

Halls NA, NB, SA, SB

# Total Exhibition Hall Space 950,282 square feet

- 2 general assembly areas (92,466 square feet each)
- 40 foot ceilings in exhibition halls
- In-floor utilities on 30-foot centers
- 2 covered loading docks/ 76 individual truck bays
- 9 truck entrances directly into the exhibition halls

### **4 Food Courts**

# **40-Truck Space Staging Area** adjacent to the building

### **Covered Boarding for 27 Buses**



The North and South exhibition halls contain 92,466 square feet each of general assembly space, acoustically engineered to provide the finest sound quality.



The North/South Building features 2,000 linear feet of underground loading docks fed by a 40 truck-space staging yard.

### **NORTH CONCOURSE**

Exhibition Halls North A - B

HALL	DIMENSIONS	SQUARE FOOTAGE	CEILING HEIGHT	BANQUET	THEATER	EXHIBITS
North A	540'4" x 540'4"	287,495	40'	16,080	21,604	1,564
NA1	359'8" x 85'8" x 381'8" x 89'8" x 359'6"	92,466	40'	4,790	8,400	405
NA2	179'5" x 488' x 483'8" x 179'8" x 90'8" x 381'10" x 90'4"	195,029	40'	10,390	13,204	1,024
North B	540'4" x 361'10"	187,646	40'	10,260	12,527	996

### **SOUTH CONCOURSE**

Exhibition Halls South A - B

HALL	DIMENSIONS	SQUARE FOOTAGE	CEILING HEIGHT	BANQUET	THEATER	EXHIBITS
South A	540'4" x 540'4"	287,495	40'	16,080	21,604	1,564
SA1	359'8" x 85'8" x 381'8" x 89'8" x 359'6"	92,466	40'	4,790	8,400	405
SA2	179'5" x 488' x 483'8" x 179'8" x 90'8" x 381'10" x 90'4"	195,029	40'	10,390	13,204	1,024
South B	540'4" x 361'10"	187,646	40'	10,260	12,527	996

### **North Concourse** Covered Bus Loading 6 Buses Covered Bus Loading 5 Buses Ξ 4 B 8 В **Loading Dock** NA<sub>1</sub> NA<sub>2</sub> 92.466 SF 195.029 SF 58'Wx20'H Aircraft Door 405 10x10 Booths 1,024 10x10 Booths 40' to Beam 40' to Beam 32'Wx22'8"H Roll-up Door E LEGEND **NORTH HALL B NORTH HALL A** 8 287,495 SF 187,646 SF FedEx Office Business Center 17,432 SM (540'4" x 361'10") 26,708 SM Concourse / Registration Area B (540'4" x 540'4") □ Elevator **E** Exit 1,564 10x10 Booths 996 10x10 Booths Escalator Exhibition Hall 40' to Beam 40' to Beam **E** E E First Aid Parker Parker ■ Guest Services / Information ■ Meeting Room Constant of the last RR ■ Meeting Room / Registration Area B . **3** - - Movable Partition OCCC Administration Annex and OCCC Client Pre-Conference Room S212 ŧB Restaurant / Food Court **SOUTH HALL A SOUTH HALL B** RR Restroom Show Manager Office 287,495 SF 187,646 SF Ε ■ Support 26,708 SM 17,432 SM ■ Veranda Ħ (540'4" x 361'10") 996 10x10 Booths (540'4" x 540'4") 1.564 10x10 Booths 32'Wx22'8"H 40' to Beam 40' to Beam SA<sub>1</sub> SA<sub>2</sub> 92,466 SF 195,029 SF 405 10x10 Booths 1,024 10x10 Booths 40' to Beam 40' to Beam RRRR E 3403 SF Food Court Food Court 3194 SF B **Loading Dock** 8 B E

Covered Bus Loading

Covered Bus Loading

## **LEVEL II**

### **Meeting Rooms**

**Total Meeting Room Space** 61,898 square feet

• 6 meeting rooms/34 breakouts

### Registration

- 4 registration offices
- **2 Business Centers**
- 8 Show Manager Offices
- **2 Full Service Restaurants**
- The Southside Restaurant (South Concourse)
- The Northside Restaurant (North Concourse)

Additional function space, in the form of a veranda, is available outside on Level II and emphasizes Orlando's natural beauty.




74,000 square feet of combined meeting and show manager space opens to the public space, providing a multitude of options for event registration and information.





A dramatic 1,500 foot open-air pedestrian bridge with moving sidewalks, connects the Center's North/South Building to the West Building.



### **NORTH CONCOURSE**

Meeting Rooms N210 - N230B

ROOM	DIMENSIONS	SQUARE FOOTAGE	CEILING HEIGHT	BANQUET	THEATER	CLASSROOM	RECEPTION
N210	163'9" x 58'8"	9,607	14'6"	650	1,248	726	1,248
N210A	43'8" x 58'8"	2,562	14'6"	160	294	160	294
N210B	29'8" x 58'8"	1,740	14'6"	80	196	120	196
N210C	29'8" x 58'8"	1,740	14'6"	80	196	120	196
N210D	29'8" x 58'8"	1,740	14'6"	80	196	120	196
N210E	29'8" x 58'8"	1,740	14'6"	80	196	120	196
N220	209'1" x 58'8"	12,266	14'6"	850	1,664	946	1,664
N220A	29' x 58'8"	1,701	14'6"	80	196	120	196
N220B	29'8" x 58'8"	1,740	14'6"	80	196	120	196
N220C	29'8" x 58'8"	1,740	14'6"	80	196	120	196
N220D	29'8" x 58'8"	1,740	14'6"	80	196	120	196
N220E	29'8" x 58'8"	1,740	14'6"	80	196	120	196
N220F	29'8" x 58'8"	1,740	14'6"	80	196	120	196
N220G	29'8" x 58'8"	1,740	14'6"	80	196	120	196
N230	73'7" x 58'5"	4,298	14'6"	250	492	274	492
N230A	29' x 58'5"	1,694	14'6"	80	196	120	196
N230B	44'2" x 58'5"	2,580	14'6"	140	225	164	225



The North/South Building contains two elegant, finely crafted full-service restaurants, located on Level II, that overlook the exhibition halls.

### **SOUTH CONCOURSE**

Meeting Rooms S210 - S230H

ROOM	DIMENSIONS	SQUARE FOOTAGE	CEILING HEIGHT	BANQUET	THEATER	CLASSROOM	RECEPTION
S210	163'9" x 58'5"	9,566	14'6"	650	1,248	726	1,248
S210A	43'8" x 58'5"	2,551	14'6"	120	294	160	294
S210B	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S210C	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S210D	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S210E	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S220	209'1" x 58'5"	12,214	14'6"	850	1,664	946	1,664
S220A	29' x 58'5"	1,694	14'6"	80	196	120	196
S220B	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S220C	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S220D	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S220E	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S220F	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S220G	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S230	242'5" x 58'5"	14,161	14'6"	950	1,950	1,100	1,950
S230A	29' x 58'5"	1,694	14'6"	80	196	120	196
S230B	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S230C	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S230D	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S230E	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S230F	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S230G	29'8" x 58'5"	1,733	14'6"	80	196	120	196
S230H	33' x 58'5"	1,928	14'6"	80	210	140	210



# **LEVEL III**

# Meeting Rooms Total Meeting Room Space 104,152 square feet

• 19 meeting rooms/60 breakouts



The North/South Building features a total of 166,000 square feet of flexible meeting space supported by an extensive system of service corridors and remote food service pantries.





The public space is flooded with natural light from 80-foot high glass walls. The use of high-end finishes complements the architectural design emphasizing the Florida experience.

### **North Concourse** N310 N320 Е В В G G С С ខិ D D OPEN TO NORTH EXHIBIT HALL BELOW LEGEND ■ FedEx Office Business Center Concourse / Registration Area **E** Exit Escalator Exhibition Hall First Aid ■ Guest Services / Information Meeting Room Meeting Room / Registration Area Movable Partition ■ OCCC Administration Annex and OCCC Client Pre-Conference Room S212 Restaurant / Food Court RR Restroom Show Manager Office ■ Support Veranda OPEN TO SOUTH **EXHIBIT HALL BELOW** Stairs Stairs Stairs S320 S310 C S331

**South Concourse** 

С

в

Е

С

В

С

В

G

F

Е

### **NORTH CONCOURSE**

Meeting Rooms N310 - N330D

ROOM	DIMENSIONS	SQUARE FOOTAGE	CEILING HEIGHT	BANQUET	THEATER	CLASSROOM	RECEPTION
N310	138'5" x 117'5"	16,252	21'6"	1,070	2,112	1,140	2,112
N310A	54' x 29'5"	1,589	21'6"	80	176	100	176
N310B	54' x 29'8"	1,602	21'6"	80	182	108	182
N310C	54' x 29'8"	1,602	21'6"	80	182	108	182
N310D	54' x 27'7"	1,490	21'6"	80	176	99	176
N310E	54' x 29'5"	1,589	21'6"	80	176	100	176
N310F	54' x 29'8"	1,602	21'6"	80	182	108	182
N310G	54' x 29'8"	1,602	21'6"	80	182	108	182
N310H	54' x 27'7"	1,490	21'6"	80	176	99	176
Corridor	30'1" x 30'	903					
Corridor	30' x 30'	900					
Corridor	30' x 30'	900					
Corridor	29'1" x 30'	873					
N311	27'9" x 29'9"	826	14'	50	72	40	72
N312	27'9" x 40'3"	1,117	14'	60	108	60	108
N319	27'9" x 48'11"	1,357	14'	80	144	80	144
N320	168'5" x 117'5"	19,775	21'6"	1,280	2,560	1,368	2,560
N320A	54' x 29'5"	1,589	21'6"	80	182	100	182
N320B	54' x 29'8"	1,602	21'6"	80	182	108	182
N320C	54' x 29'8"	1,602	21'6"	80	182	108	182
N320D	54' x 27'7"	1,490	21'6"	80	182	99	182
N320E	54' x 29'5"	1,589	21'6"	80	182	100	182
N320F	54' x 29'8"	1,602	21'6"	80	182	108	182
N320G	54' x 29'8"	1,602	21'6"	80	182	108	182
N320H	54' x 27'7"	1,490	21'6"	80	182	99	182
Corridor	30'1" x 60'	1,805					
Corridor	30' x 60'	1,800					
Corridor	30' x 60'	1,800					
Corridor	29'1" x 60'	1,746					
N321	27'9" x 29'9"	826	14'	50	72	40	72
N322	27'9" x 40'3"	1,117	14'	60	108	60	108
N329	27'9" x 48'11"	1,357	14'	80	144	80	144
N330	38'5" x 116'4"	4,469	21'6"	300	544	294	544
N330A	38'5" x 29'5"	1,130	21'6"	60	108	66	108
N330B	38'5" x 29'8"	1,140	21'6"	60	112	72	112
N330C	38'5" x 29'8"	1,140	21'6"	60	112	72	112
N330D	38'5" x 27'7"	1,060	21'6"	60	112	66	112

### **SOUTH CONCOURSE**

Meeting Rooms S310 - S331D

	00ms 5310 - 533		OF ILLING HEIGHT	DANGUET	THEATER	CL ACCROOM	DECEDION
ROOM	DIMENSIONS	SQUARE FOOTAGE	CEILING HEIGHT	BANQUET	THEATER	CLASSROOM	
S310	138'5" x 117'5"	16,252	21'6"	1,100	2,112	1,140	2,112
S310A	54' x 29'5"	1,589	21'6"	80	170	100	170
S310B	54' x 29'8"	1,602	21'6"	80	182	108	182
S310C	54' x 29'8"	1,602	21'6"	80	182	108	182
S310D	54' x 27'3"	1,472	21'6"	80	178	99	178
S310E	54' x 29'5"	1,589	21'6"	80	170	100	170
S310F	54' x 29'8"	1,602	21'6"	80	182	108	182
S310G	54' x 29'8"	1,602	21'6"	80	182	108	182
S310H	54' x 27'3"	1,472	21'6"	80	178	99	178
Corridor	29'1" x 30'	873					
Corridor	30' x 30'	900					
Corridor	30' x 30'	900					
Corridor	30'1" x 30'	903					
S311	27'9" x 29'9"	826	14'	50	72	40	72
S312	40'3" x 27'9"	1,117	14'	60	99	60	99
S319	27'11" x 48'11"	1,366	14'	80	144	80	144
S320	168'5" x 117'5"	19,775	21'6"	1,400	2,560	1,368	2,560
S320A	54' x 29'5"	1,589	21'6"	80	170	100	170
S320B	54' x 29'8"	1,602	21'6"	80	182	108	182
S320C	54' x 29'8"	1,602	21'6"	80	182	108	182
S320D	54' x 27'7"	1,490	21'6"	80	178	99	178
S320E	54' x 29'5"	1,589	21'6"	80	169	100	169
S320F	54' x 29'8"	1,602	21'6"	80	182	108	182
S320G	54' x 29'8"	1,602	21'6"	80	182	108	182
S320H	54' x 27'7"	1,490	21'6"	80	178	99	178
Corridor	29'1" x 60'	1,746					
Corridor	30' x 60'	1,800					
Corridor	30' x 60'	1,800					
Corridor	30'1" x 60'	1,805					
S321	27'9" x 29'9"	826	14'	50	72	40	72
S322	27'9" x 40'3"	1,117	14'	60	99	60	99
S329	27'9" x 48'11"	1,357	14'	80	144	80	144
S330	138'5" x 117'5"	16,252	21'6"	1,100	2,112	1,140	2,112
S330A	54' x 29'5"	1,589	21'6"	80	171	100	171
S330B	54' x 29'8"	1,602	21'6"	80	182	108	182
S330C	54' x 29'8"	1,602	21'6"	80	182	108	182
S330D	54' x 27'7"	1,490	21'6"	80	178	99	178
S330E	54' x 29'5"	1,589	21'6"	80	171	100	171
S330F	54' x 29'8"	1,602	21'6"	80	182	108	182
S330G	54' x 29'8"	1,602	21'6"	80	182	108	182
S330H	54 x 29 6 54' x 27'7"	1,490	21'6"	80	178	99	178
Corridor	29'1" x 30'	873	210	00	170	33	170
Corridor	30' x 30'	900					
Corridor	30' x 30'	900					
Corridor	30' X 30'						
S331	43'9" x 117'5"	903	21'6"	200	646	260	6/6
		5,137	21'6"	300	646	368	646
S331A	43'9" x 29'5"	1,287	21'6"	60	136	80	136
S331B	43'9" x 29'8"	1,298	21'6"	60	140	84	140
S331C	43'9" x 29'8"	1,298	21'6"	60	140	84	140
S331D	43'9" x 27'7"	1,207	21'6"	60	140	77	140





At the Orange County Convention Center we pride ourselves on being The Center of Hospitality, and our staff is always striving to exceed your expectations to make your event the most successful ever. If you would like additional information about our facilities, please call us toll-free at 1-800-345-9845 or visit our web site at www.occc.net.

It's all about your experience!



The Center of Hospitality, where it's all about your experience!

Orlando

P.O. Box 691509 Orlando, Florida 32869 Ph. 407-685-9800 Toll Free 800-345-9845 Fax 800-345-9876

www.occc.net